#### §87.347

- (e) Communications between aeronautical utility mobile stations are not authorized.
- (f) Transmissions by aeronautical utility mobile stations for Universal Access Transceiver service are authorized.

[53 FR 28940, Aug. 1, 1988, as amended at 55 FR 7333, Mar. 1, 1990; 55 FR 30464, July 26, 1990; 71 FR 70680, Dec. 6, 2006]

#### §87.347 Supplemental eligibility.

- (a) Aeronautical utility stations may transmit on unicom frequencies only at airports which have a unicom and a part-time or no control tower, an RCO or an FAA flight service station.
- (b) An applicant for an aeronautical utility station operating on a unicom frequency or the frequency 122.900 MHz must:
- (1) Have a need to routinely operate a ground vehicle on the airport movement area:
- (2) Maintain a list of the vehicle(s) in which the station is to be located;
- (3) Certify on the application that either the applicant is the airport owner or operator, or a state or local government aeronautical agency, or that the airport owner or operator has granted permission to operate the vehicle(s) on the airport movement area.
- (c) An applicant for an aeronautical utility station requesting authority to transmit on the local control (tower) frequency or on the control tower remote communications outlet (RCO) frequency must certify that the Air Traffic Manager of the airport control tower approves the requested use of the tower or RCO frequency.

 $[53\ {\rm FR}\ 28940,\ {\rm Aug.}\ 1,\ 1988,\ {\rm as}\ {\rm amended}\ {\rm at}\ 55\ {\rm FR}\ 30464,\ {\rm July}\ 26,\ 1990;\ 55\ {\rm FR}\ 30908,\ {\rm July}\ 30,\ 1990;\ 63\ {\rm FR}\ 68958,\ {\rm Dec.}\ 14,\ 1998]$ 

## §87.349 Frequencies.

(a) The frequency assigned to an aeronautical utility station at an airport served by a control tower, RCO or FAA flight service station is the frequency used by the control tower for ground traffic control or by the flight service station for communications with vehicles. In addition to the ground control frequency, an aeronautical utility station at an airport served by a control tower or RCO may be assigned the tower or RCO fre-

- quency if the assignment is specifically approved by the FAA as provided for in §87.347(c). The frequencies assigned are normally from the band 121.600–121.925 MHz.
- (b) The frequency assigned to the unicom is available to aeronautical utility stations on a noninterference basis at airports which have a parttime control tower, part-time RCO or part-time FAA flight service station and a unicom.
- (c) At airports which have a unicom but no control tower, RCO or FAA flight service station, the frequency assigned to the unicom is available to aeronautical utility stations on a noninterference basis. The frequencies available for assignment to unicoms are described in subpart G of this part.
- (d) At airports which have no control tower, RCO, flight service station or unicom, the frequency 122.900 MHz is available for assignment to aeronautical utility stations.
- (e) The frequency 978.0 MHz is authorized for Universal Access Transceiver data transmission.

[55 FR 30464, July 26, 1990, as amended at 55 FR 30908, July 30, 1990; 71 FR 70680, Dec. 6, 20061

#### §87.351 Frequency changes.

When the aeronautical utility frequency is required to be changed because of an action by the FAA or the Commission (such as a change in the ground control of unicom frequency) the licensee must submit an application for modification to specify the new frequency within 10 days from the date the station begins operation on the new frequency. The licensee has temporary authority to use the new frequency from the date of the change pending receipt of the modified license.

# Subpart M—Aeronautical Search and Rescue Stations

### §87.371 Scope of service.

Aeronautical search and rescue land and mobile stations must be used only for communications with aircraft and other aeronautical search and rescue stations engaged in search and rescue activities. Aeronautical land search and rescue stations can be moved for